

Production/Admin: 12/2/8
Date: 12/2/8
Received/Costing: [Signature]
Initial: [Signature]

Location

Initials of receiver (if shipment OK) Level 12

Part Number	Description	Ordered Quantity	Received Quantity	Returned Quantity	Short Quantity	Comments

Discrepancies

Date: 12/2/8
Supplier: THPSSK
Packing Slip: Yes ☒ No ☐
Invoice: Yes ☒ No ☐
Receipt: Yes ☒ No ☐
Cash: Yes ☒ No ☐
Cr: Yes ☒ No ☐
Release Note Attached: Yes ☒ No ☐
Waybill Attached: Yes ☒ No ☐
Shipment Complete: Yes ☒ No ☐
QC6 Inspection: Yes ☒ No ☐
Work Order: Yes ☒ No ☐
Batch No: W120602
Part P/O: 15854
N/A ☒ N/A ☒ N/A ☒ N/A ☒

Receiving Report

Purchase Order Receipt Listing

Wednesday, February 08, 2012 8:13:24 AM

All amounts are calculated in domestic currency.

All Vendors	PO ID PQ15854	Receipt Dates from 2/8/2012 to 2/8/2012	All Line Item Types
-------------	---------------	---	---------------------

All vendors	10 ID 101505	All Rec. Employees	All Currencies
All Item ID/GL/WOs			

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-COP001	Thyssenkrupp Materials CA Ltd								
PO15854	1		M303B1.000X1.000 f	f	1/17/2012	2/8/2012	25.0000	\$12.07	0.0000	0	\$301.65
CAD	No		303 BAR 1" X 1"	f	24.0000	DESJ02		\$301.65	0.0000	0	
			120602								
									Total Received Quantity:	25.0000	
									Total Qty to Inspect (PO U/M):	0.0000	
									Total Reject Quantity:	0.0000	
									Total Receipt Value:	\$301.65	
									Total Balance Due Quantity:	0.0000	

B I L L O F L A D I N G

No: PEC 751382

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Ship Date 06Feb12 at 12:24 From PFW
Probill
Via O/T
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp/ STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

MTR

1) Our Order PEC-407200- 1 Your PO # 15854
STAINLESS STEEL SQ BAR 303CD
1.00" X 150.0000"

Heat Number
253593

Tag No
34062

Quantity
25 FT

PCS
2

Wt LBS
86

Tags
1

PCS
2

LBS
86

TOTAL:

Heat Number
253593

*** Chemical Analysis ***

ADD ON TO 407197 SUR-CHARGE PAID
SHIP TOGETHER

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 BDL G.W. 105 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***
**** TEL. 800-926-2600 ****

Page: 1 Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

B I L L O F L A D I N G

No: PEC 751382

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Ship Date 06Feb12 at 12:24 From PFW
Probill
Via O/T
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

* WE STOCK STAINLESS STEEL *
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

Acciaierie Valbruna S.p.A.

38100 VICENZA (Italia) - Viale della scienza, 25 z.i.

Slab.: 38100 BOLZANO (Italia) - Via A. Volta, 4

Clients / Bestell-/Purchase: Client

VALBRUNA CANADA LTD

8724 HOGGATE CRESCENT

L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Hersteller/Usine producer



QUALITY MANAGEMENT SYSTEM
CERT. FISS BY LLOYD'S REGISTER

Avviso di Spedizione: D-VI11019206

Lieferanrge/Packing list/B.L.

Ordine nr: 103003166 Stock - Canada

Bestell-/Your order/Commande

Tipo di Elaborazione: E+AOD

Erschmelzungs-/Welding process/Mode de fabrication

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005) , 3.1

Certificato nr: MEST065384/2011/

Prüfung/Test/essai

Conferma ordine nr: E111003031

Werk-/Our Order/Pai nr.

Marchio di Fabbrica:

Zeichen des Lieferanten

Trade mark

Signe de l'usine productrice

Punzone del Collaudatore:

Stempel des Werkbescheinigenden
Inspector's stamp/Plomben de l'inspecteur



Stato di fornitura: - Annealed Cold Drawn

Lieferzustand/Delivery state/Etat de livraison

Specifiche:

Anforderungen / Requirements / Exigences

VSI 0 303 A,CF

ASME SA320 2010 B8F (g)

ASTM A370 2010

QQ-S-784 B/2 303 A

(g) SEC.II PT.A 2010 EDITION

(1) Chemical analysis only.

AMS 5640 U S30300 A

ASTM A314 2008 S30300

ASTM A582 2005 S30300 A

AMS 5640 U TYPE1 A

ASTM A320 2010A B8F (1)

MIL-S-862 B/1 303

(g) Chemical analysis only.

Qualità: 303

Werkstoff/Grade/Usine

Marca: VPAU188Z VALPLUS

Markenbezeichnung/Brand/Usine

Punzonatura: 303

Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Item nr. Nr. de pièce	Oggetto Description Produit description Descriptio du produit	Dimensioni - In Abmessungen Dimension Dimension	Tolleranza Toleranz Allowance Tolerance	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Lose nr. Lot nr. Lot nr.
0050	Square	1,0000 x 1,0000	484-09	153 / 153	253593		1,940	132000540

TEST ALLO STATO DI FORNITURA										
Test on delivery condition Prüfung auf Lieferbereitem produkt test a l'etat de fourniture Prueba sobre el material así como entregado										
TEST	Proveita/Proveit Specimen/Échantillon Long. diam. Spec. Diam. Spec. Diam. Worm diam. Thickness Long. diam. spec. mm	°F	Puoi. Saggio Proveit Proveit g	Sneramento Sneramento Yield Stress Yield Stress Rp 0,2% k.s.i.	Sneramento Sneramento Yield Stress Yield Stress Rp 0,2% k.s.i.	Resistenza Fragilità Tensile strength Tensile strength Resistance to traction Rm k.s.i.	Allungamento Elongation Elongation Elongation E 4d %	Strizione Strizione Reduction of area Reduction of area RA %	Resistenza Resistenza Impact Value Impact Value Resistenza	Durezza Durezza Hardness Hardness HB
Valori richiesti 1 Anforderungen/Required values Valeurs demandées		min max								140 255
A	12,5	68 L		73		103	39	51		240

TEST	min	max
A Grain size for ASTM E112		5

1) Le: longitudinal testing, T: transverse testing, Co: Tension testing, elongation

Mechanical properties according to ASTM A370.

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min max 0,150	1,00	1,50 2,00	17,00 19,00	0,60	1,00	8,00 10,00	0,100	0,25 0,35	0,400	-	-	-	-	-
C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	Zr %	-	-	-	-	-
253593	0,053	0,37	1,79	17,42	0,42	0,52	8,12	0,12	0,032	0,26	0,006	-	-	-	-

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 1 h/water.

Micro and macro etch test: OK

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste

Die gestellten Anforderungen sind i. Anlage erfüllt

The material has been furnished in accordance with the requirements

Le matériau a été livré conformément aux exigences

Controllo antimiscelazione: OK

Verwechslungsprüfung: Spektralanalyse durchgeföhrt

Antimixing testing performed: OK

Contrôle antimélange fait: s.s.

Controllo visivo e dimensionale: soddisfa le esigenze

Beachtung und Ausmessung: ohne Beanstandung

Visual inspection and dimensional checks satisfactory

Contrôle visuel et dimensionnel satisfaisant

Melted and manufactured in Italy

No welding or weld repair

Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s. 4.3 by TÜV and LLOYD'S

Vicenza, 10/06/11

VCD008

(Mod. MCE2)

Il collaudatore di stabilimento / der Werksachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 2

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY DNV GL REGISTER

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Ciente / Besteller/Purchase Order
VALBRUNA CANADA LTD
8724 HOGGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**

Hersteller/producer/Usine productrice

Stato di fornitura: - Annealed Cold Drawn

Lieferzustand/Delivery state/État de livraison

Avviso di Spedizione: D-V111019206

Lieferanweisung/Packing list/B.L.

Ordine nr: 103003166 Stock - Canada

Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD

Erstellungsgang/Manufacturing process/Mode of elaboration

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005) , 3.1

Certificato nr: MEST065384/2011/

Prüfung/Tests/Essai

Conferma ordine nr: E111003031

Works/Our Order/Ref nr.

Marchio di Fabbrica:

Zeichen des Lieferwerkes

Trade mark

Signe de l'usine productrice



Punzone del Collaudatore:

Stempel des Werkssachverständigen
Inspector's stamp/Plombon de l'essayeur



Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

Maximal and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 10/06/11

VCO008

(Mod. NCE2)

Il collaudatore di stabilimento / der Werkssachverständiger / Works Inspector / L'agent d'usine

M. Rizzotto

Pagina - 2 di 2



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO15854

Purchase Order Date 1/11/12

PO Print Date 1/11/12

Page Number 1 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

Contact Name
Vendor Phone 905 669 9444
Vendor Fax 905 738 9033
Vendor Account Nbr

Buyer Chantal Lavoie
Requisition Nbr
Tax Resale Nbr 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

Ship To : DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M303B1.000X1.000 050	303 BAR 1" X 1"	1/17/12 Yes	24.00 f	Yours ppd f	\$12.1000	\$290.40
Special Inst:			MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE				
2	M303R1.000 028	303 Round Bar 1.00	1/17/12 Yes	12.00 f	Yours ppd f	\$6.0500	\$72.60
Special Inst:			MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE				
3	M304R.250 028	304 SS Round bar .250	1/17/12 Yes	12.00 f	Yours ppd f	\$2.0830	\$25.00
Special Inst:			MATERIAL: 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE				

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 1/11/12